















































































	<i>rbcL</i>	<i>Ziziphus ornate</i>	100%	0.0	99.55%	<a href="#">AJ390052.1</a>
<i>Balanites aegyptiaca</i>	<i>rbcL</i>	<i>Calotropis procera</i>	100%	0.0	99.85%	<a href="#">KX298997.1</a>
	<i>rbcL</i>	<i>Balanites glabra</i>	98%	0.0	99.85%	<a href="#">MH990654.1</a>
	<i>rbcL</i>	<i>Balanites maughamii</i>	100%	0.0	99.24%	<a href="#">Y15016.1</a>
	<i>rbcL</i>	<i>Sisyndite spartea</i>	100%	0.0	98.32%	<a href="#">Y15026.1</a>
	<i>rbcL</i>	<i>Neoluederitzia sericeocarpa</i>	100%	0.0	97.86%	<a href="#">Y15023.1</a>
<i>Senna italica</i>	<i>rbcL</i>	<i>Senna didymobotrya</i>	100%	0.0	99.70%	<a href="#">MF963163.1</a>
	<i>rbcL</i>	<i>Senna italica</i>	100%	0.0	99.26%	<a href="#">KY464111.1</a>
	<i>rbcL</i>	<i>Senna alata</i>	99%	0.0	98.81%	<a href="#">MH050017.1</a>
	<i>rbcL</i>	<i>Cenostigma pyramidale</i>	100%	0.0	98.66%	<a href="#">NC_047360.1</a>
	<i>rbcL</i>	<i>Senna tora</i>	100%	0.0	98.66%	<a href="#">JF949969.2</a>
<i>Moringa peregrina</i>	<i>rbcL</i>	<i>Moringa peregrina</i>	99%	0.0	99.70%	<a href="#">JX091933.1</a>
	<i>rbcL</i>	<i>Moringa oleifera</i>	99%	0.0	99.70%	<a href="#">MK165484.1</a>
	<i>rbcL</i>	<i>Moringa hildebrandtii</i>	99%	0.0	99.56%	<a href="#">JX091930.1</a>
	<i>rbcL</i>	<i>Moringa drouhardii</i>	99%	0.0	99.56%	<a href="#">JX091929.1</a>
	<i>rbcL</i>	<i>Moringa rivae</i>	99%	0.0	99.41%	<a href="#">AF405247.1</a>
<i>Maerua crassifolia</i>	<i>rpoC1*</i>	<i>Capparis versicolor</i>	100%	0.0	98.69%	<a href="#">MH142726.1</a>
	<i>rpoC1*</i>	<i>Tarenaya hassleriana</i>	99%	0.0	98.90%	<a href="#">KX886354.1</a>
	<i>rpoC1*</i>	<i>Crateva tapia</i>	100%	0.0	98.47%	<a href="#">NC_049621.1</a>
	<i>rpoC1*</i>	<i>Capparis spinosa</i>	100%	0.0	98.25%	<a href="#">NC_047193.1</a>
	<i>rpoC1</i>	<i>Capparis cartilaginea</i>	99%	0.0	98.24%	<a href="#">KU764778.1</a>
<i>Ziziphus spina-christi</i>	<i>rpoC1</i>	No significant similarity found.				
<i>Balanites aegyptiaca</i>	<i>rpoC1*</i>	<i>Tribulus terrestris</i>	95%	0.0	97.89%	<a href="#">NC_046758.1</a>
	<i>rpoC1</i>	<i>Miconia acuminata</i>	94%	0.0	96.6%	<a href="#">FJ038706.1</a>
	<i>rpoC1*</i>	<i>Brunellia antioquensis</i>	95%	0.0	96.21%	<a href="#">MN615725.1</a>
	<i>rpoC1*</i>	<i>Brunellia trianae</i>	95%	0.0	96.21%	<a href="#">MN585217.1</a>
	<i>rpoC1*</i>	<i>Loropetalum subcordatum</i>	95%	0.0	96.00%	<a href="#">NC_037694.1</a>
<i>Senna italica</i>	<i>rpoC1</i>	No significant similarity found.				
<i>Moringa peregrina</i>	<i>rpoC1</i>	<i>Moringa oleifera</i>	99%	0.0	99.34%	<a href="#">KY697382.1</a>
	<i>rpoC1*</i>	<i>Bretschneidera sinensis</i>	99%	0.0	98.67%	<a href="#">NC_037753.1</a>
	<i>rpoC1*</i>	<i>Vasconcellea cundinamarcensis</i>	99%	0.0	97.57%	<a href="#">NC_049867.1</a>
	<i>rpoC1</i>	<i>Carica papaya</i>	97%	0.0	97.97%	<a href="#">GU363836.1</a>
	<i>rpoC1</i>	<i>Miconia acuminata</i>	98%	0.0	96.64%	<a href="#">FJ038706.1</a>