











consisting of only 8.5 min. The whole protocol was easy and intuitive. The system, thanks to the dry electrodes (no assembly stuff and no gel in the hair) and the wireless electroencephalograph, was comfortable and practical, simplifying any use for any subject or patient. Subjects reported that visual stimulation was neither fatiguing nor bothersome.

Future work will include online implementation and testing on a BCI and NeuroFeedback platform such as [10, 11].

#### REFERENCES

- [1] Wolpaw, J. R., Birbaumer, N., McFarland, D. J., Pfurtscheller, G., & Vaughan, T. M. (2002). Brain-computer interfaces for communication and control. *Clinical Neurophysiology*, 113(6), 767–791.
- [2] Vialatte, F. B., Maurice, M., Dauwels, J., & Cichocki, A. (2010). Steady-state visually evoked potentials: Focus on essential paradigms and future perspectives. *Progress in Neurobiology*, 90(4), 418–438.
- [3] Regan, M. P., & Regan, D. (1988). A frequency domain technique for characterizing nonlinearities in biological systems. *Journal of theoretical Biology*, 133(3), 293–317.
- [4] Bianchi, L., Ferrante, R., & Quitadamo, L. R. (2018, October). Analog-Like Control is Possible in SSVEP Based Brain-Computer Interfaces. In 2018 IEEE Life Sciences Conference (LSC) (pp. 235–238).
- [5] Allison, B. Z., Brunner, C., Altstätter, C., Wagner, I. C., Grissmann, S., & Neuper, C. (2012). A hybrid ERD/SSVEP BCI for continuous simultaneous two dimensional cursor control. *Journal of Neuroscience Methods*, 209(2), 299–307.
- [6] Cao, T., Wan, F., Mak, P. U., Mak, P., Vai, M. I., & Hu, Y. (2012). Engineering in Medicine and Biology Society Conference Flashing Color on the Performance of SSVEP-based Brain- Computer Interfaces, 1819–1822.
- [7] Birca, A., Carmant, L., Lortie, A., & Lassonde, M. (2006). Interaction between the flash evoked SSVEPs and the spontaneous EEG activity in children and adults. *Clinical Neurophysiology*, 117(2), 279–288.
- [8] Bianchi, L. The NPXLab suite 2018: A free features rich set of tools for the analysis of neuro-electric signals. *WSEAS Transactions on Systems and Control*. Vol 13, 2018, Pages 145-152.
- [9] Zhu, D., Bieger, J., Garcia Molina, G., & Aarts, R. M. (2010). A Survey of Stimulation Methods Used in SSVEP-Based BCIs. *Computational Intelligence and Neuroscience*, 2010, 1–12.
- [10] Bianchi, L. Speedy'O'Brain: A neuro-feedback videogame driven by electroencephalographic signals *International Journal of Biology and Biomedical Engineering* Volume 12, 2018, Pages 229-234.
- [11] Bianchi L. The Software Model of the “Speedy'O'Brain” Neurofeedback Videogame, *International Journal of Circuits, Systems and Signal Processing*, in press.