

References

- [1] R.K.Mohanty, S. Sharma, "Fourth-Order Numerical Scheme Based on Half-Step Non-Polynomial Spline Approximations for 1D Quasi-Linear Parabolic Equations", *Numerical Analysis and Applications*, 13 (1), 2020, pp. 68-81.
- [2] A.Khalid, M.N. Naeem, P.Agarwal, A. Ghaffar, Z. Ullah, S.Jain, "Numerical approximation for the solution of linear sixth order boundary value problems by cubic B-spline" *Advances in Difference Equations*, 2019(1), 2019, paper №492.
- [3] P.K. Srivastava, "A spline-based computational technique applicable for solution of boundary value problem arising in human physiology", *International Journal of Computing Science and Mathematics*, 10 (1), 2019, pp. 46-57.
- [4] R.K.Mohanty, S.Sharma, S.Singh, "A New Two-Level Implicit Scheme for the System of 1D Quasi-Linear Parabolic Partial Differential Equations Using Spline in Compression Approximations", *Differential Equations and Dynamical Systems*, 27 (1-3), 2019, pp. 327-356.
- [5] I.G.Burova, N.S. Domnin, A.E. Vezhlev, A.V. Lebedeva, A.N.Pakulina, "On the solution of the Fredholm equation of the second kind", *WSEAS Transactions on Mathematics*, 17, 2018, pp. 319-328.
- [6] A.Falini, C.Giannelli, T. Kanduč, M.L. Sampoli, A.Sestini, "An adaptive IgA-BEM with hierarchical B-splines based on quasi-interpolation quadrature schemes", *International Journal for Numerical Methods in Engineering*, 117 (10), 2019, pp. 1038-1058.
- [7] Simon J.Smith, "Lebesgue constants in polynomial interpolation," *Annales Mathematicae et Informaticae*, vol.33, 2006, pp.109–123.
- [8] H.-J.Rack, R. Vajda, "On optimal cubic Lagrange interpolation: Extremal node systems with minimal Lebesgue constant," *Studia Universitatis Babes-Bolyai Mathematica*, vol. 60 (2), 2015, pp. 151–171.
- [9] V.T.Shevaldin, "On Integral Lebesgue Constants of Local Splines with Uniform Knots," *Proceedings of the Steklov Institute of Mathematics*, vol.305, 2019, pp. S158-S165.
- [10] D.Moxey, S.P.Sastry, R.M.Kirby, "Interpolation Error Bounds for Curvilinear Finite Elements and Their Implications on Adaptive Mesh Refinement," *Journal of Scientific Computing*, vol. 78 (2), 2019, pp. 1045-1062.
- [11] S.I.Novikov, "Lebesgue Constants for Some Interpolating L-Splines," *Proceedings of the Steklov Institute of Mathematics*, 300, 2018, pp. 136-144.
- [12] V.T.Shevaldin, O.Y.Shevaldina, "Lebesgue Constant of Local Cubic Splines with Equally Spaced Nodes," *Numerical Analysis and Applications*, 10 (4), 2017, pp. 362-367.
- [13] Yu. K. Dem'yanovich, I. D. Miroshnichenko, E. F. Musafarova, "On Splines' Smoothness," *WSEAS Transactions on Mathematics*, Vol. 18, 2019, pp. 129-136.
- [14] S.G.Mikhlin. "Variational-difference approximation," *J. Math. Sci*, Vol.10, 1978, pp. 661–787.
- [15] I.G.Burova, "On the approximation by quadratic and cubic minimal splines," *Numerical Methods*, issue 20, 2003, pp. 5-24 (in Russian).
- [16] I.G.Burova, "Construction of trigonometric splines", *Vestnik St. Petersburg University: Mathematics*, vol.37 (2), 2004, pp. 6-11.
- [17] Walter Gautschi, "Numerical Analysis. An Introduction", Boston-Basel-Berlin, 1997.
- [18] S.Saleem, I.Aziz, M.Z. Hussain, "A simple algorithm for numerical solution of nonlinear parabolic partial differential equations," *Engineering with Computers*, 2019, Article in Press.

Creative Commons Attribution License 4.0 (Attribution 4.0 International, CC BY 4.0)

This article is published under the terms of the Creative Commons Attribution License 4.0
https://creativecommons.org/licenses/by/4.0/deed.en_US