

- [15] Kashani MH, Alavijeh HS, Akbarshahi H, et al. Bitubular square tubes with different arrangements under quasi-static axial compression loading. *Mater Des* 2013; 51: 1095–10103.
- [16] Guo LW, Yu JL and Li ZB. Experimental studies on the quasi-static bending behavior of double square tubes filled with aluminum foam. *Acta Mech* 2010; 213: 349–358.
- [17] Guo LW and Yu JL. Dynamic bending response of double cylindrical tubes filled with aluminum foam. *Int J Impact Eng* 2011; 38: 85–94.
- [18] Guo LW and Yu JL. Bending behavior of aluminum foam-filled double cylindrical tubes. *Acta Mech* 2011; 222: 233–244.
- [19] Djamaluddin, F., Abdullah, S., Ariffin, A.K. and Nopiah, Z.M. (2015a) ‘Multi objective optimization of foam-filled tubular circular tubes for quasi-static and dynamic responses’, *Latin American Journal of Solids and Structures*, Vol. 12, pp.1126–1143.
- [20] Djamaluddin, F., (2019) ‘Review deformation and optimisation crashworthiness method for foam filled structures’ *Latin American Journal of Solids and Structures* 16 (7)
- [21] Djamaluddin, F., Abdullah, S., Ariffin, A.K. and Nopiah, Z.M. (2019) ‘Optimisation and validation of full and half foam filled double circular tube under multiple load cases, *International Journal of Crashworthiness* 24 (4), 389-398.
- [22] Djamaluddin, F., Abdullah, S., Arrifin A.K. and Nopiah Z.M. (2018) ‘Crush analysis of the foam-filled bitubal circular tube under oblique impact’ *IOP Conf. Series: Materials Science and Engineering* 308.
- [23] Vesenjak, M., Duarte, I., Baumeister, J., et al. 2020. Bending performance evaluation of aluminium alloy tubes filled with different cellular metal cores. *Composite Structures*, 234, 111748.
- [24] Li ZB, Yu JL, Zheng ZJ, et al. An experimental study on the crashworthiness of thin-walled tubes and their metallic foam-filled structures. *J Experiment Mech* 2012; 27: 77–86.
- [25] Li ZB, Yu JL and Guo LW. Deformation and energy absorption of aluminum foam-filled tubes subjected to oblique loading. *Int J Mech Sci* 2012; 54: 48–56.
- [26] Li ZB, Zheng ZJ, Yu JL, et al. Crashworthiness of foamfilled thin-walled circular tubes under dynamic bending. *Mater Des* 2013; 52: 1058–1064.
- [27] Kim HS and Wierzbicki T. Effect of the cross-sectional shape of hat-type cross-sections on crash resistance of an ‘‘S’’-frame. *Thin-Wall Struct* 2001; 39: 535–554.
- [28] Velmurugan R and Muralikannan R. Energy absorption characteristics of annealed steel tubes of various cross sections in static and dynamic loading. *Latin Am J Solid Struct* 2009; 6: 385–412.
- [29] GB/T 228.1-2010. *Metallic materials – tensile testing – Part 1: Method of test at room temperature*. Beijing: Chinese Standard Press, 2010.
- [30] Norman J. Energy-absorbing effectiveness factor. *Int J Impact Eng* 2010; 37: 754–765.

Creative Commons Attribution License 4.0 (Attribution 4.0 International, CC BY 4.0)

This article is published under the terms of the Creative Commons Attribution License 4.0

https://creativecommons.org/licenses/by/4.0/deed.en_US