

near the object and with the control commands generated based on the EMG signal the hand will start opening or closing based on the intentions coming from the muscle. The controller is responsible for classification of real time signals to actuate the motors. As the accuracy is more than 95%, imparting that it is a rare chance for the hand to behave abnormally. The hand will remain in the desired position as organized from the controller.

REFERENCES

- [1] T. Pistohl, D. Joshi, G. Ganesh, A. Jackson, and K. Nazarpour, "Artificial proprioceptive feedback for myoelectric control," *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 23, pp. 498-507, 2015.
- [2] D. Madusanka, L. Wijayasingha, R. Gopura, Y. Amarasinghe, and G. Mann, "A review on hybrid myoelectric control systems for upper limb prosthesis," in *Moratuwa Engineering Research Conference (MERCon), 2015*, 2015, pp. 136-141.
- [3] A. L. Fougner, Ø. Stavadahl, and P. J. Kyberd, "System training and assessment in simultaneous proportional myoelectric prosthesis control," *Journal of neuroengineering and rehabilitation*, vol. 11, p. 75, 2014.
- [4] M. A. Oskoei and H. Hu, "Myoelectric control systems—A survey," *Biomedical Signal Processing and Control*, vol. 2, pp. 275-294, 2007.
- [5] J. Ding, R.-Z. Lin, and Z.-Y. Lin, "Service robot system with integration of wearable Myo armband for specialized hand gesture human-computer interfaces for people with disabilities with mobility problems," *Computers & Electrical Engineering*, 2018.
- [6] J. Ma, N. V. Thakor, and F. Matsuno, "Hand and wrist movement control of myoelectric prosthesis based on synergy," *IEEE Transactions on Human-Machine Systems*, vol. 45, pp. 74-83, 2015.
- [7] F. Cordella, A. L. Ciancio, R. Sacchetti, A. Davalli, A. G. Cutti, E. Guglielmelli, *et al.*, "Literature review on needs of upper limb prosthesis users," *Frontiers in neuroscience*, vol. 10, 2016.
- [8] M. Georgi, C. Amma, and T. Schultz, "Recognizing Hand and Finger Gestures with IMU based Motion and EMG based Muscle Activity Sensing," in *Biosignals*, 2015, pp. 99-108.
- [9] W. Guo, X. Sheng, H. Liu, and X. Zhu, "Toward an Enhanced Human-Machine Interface for Upper-Limb Prosthesis Control With Combined EMG and NIRS Signals," *IEEE Transactions on Human-Machine Systems*, 2017.
- [10] S. S. Esfahlani, B. Muresan, A. Sanaei, and G. Wilson, "Validity of the Kinect and Myo armband in a serious game for assessing upper limb movement," *Entertainment Computing*, 2018.
- [11] V. Becker, P. Oldrati, L. Barrios, and G. Sörös, "TouchSense: Classifying and Measuring the Force of Finger Touches with an Electromyography Armband," 2018.
- [12] T. Labs™, "Myo SDK Manual: Getting Started," *Consulted November*, vol. 4, 2016.
- [13] A. Phinyomark and E. Scheme, "A feature extraction issue for myoelectric control based on wearable EMG sensors," in *Sensors Applications Symposium (SAS), 2018 IEEE*, 2018, pp. 1-6.
- [14] A. Phinyomark, R. N Khushaba, and E. Scheme, "Feature Extraction and Selection for Myoelectric Control Based on Wearable EMG Sensors," *Sensors*, vol. 18, p. 1615, 2018.